

Safety Data Sheet (SDS)

Section 1: Identification

Product Identifier: Multi-Modality Imaging Liquid used in PinPoint REF 128

Manufacturer: Beekley Corporation
1 Prestige Lane
Bristol, CT 06010
800-233-5539

Emergency Telephone Numbers: (800) 233-5539 (Beekley Corporation)
(800) 424-9300 (CHEMTREC)

Recommended Use: Multi-Modality Imaging Liquid for image registration performed under CT and MRI.

Restrictions on Use: None indicated.

Section 2: Hazard (s) identification

The contents of the product are non-hazardous, although contact should be avoided. Contact may irritate skin, eyes and respiratory tract.

HMIS ratings: Health: 1
Flammability: 1
Reactivity: 1

Section 3: Composition/information on ingredients

This product is defined as an article by the Occupational Safety and Health Administration (29 CFR 1910.1200). In the unlikely event the product contents are released, the following data is provided for informational purposes.

<u>Chemical Name</u>	<u>CAS Number</u>	<u>OSHA PEL</u>	<u>Limit</u>	<u>Concentration</u>
Proprietary	N/A	N/A	N/A	N/A

Section 4: First-aid measures

If swallowed, wash out mouth with water (provided person is conscious) and call physician.

If inhaled, remove person to fresh air. If not breathing, give artificial respiration.

If breathing is difficult, give oxygen.

In case of contact, immediately wash skin with soap and copious amounts of water.

In case of eye contact, immediately flush eyes with copious amounts of water for at least 15 minutes.

Section 5: Fire-fighting measures

The liquid mixture will not normally burn or explode.

Section 6: Accidental release measures

Very small spills may be flushed down an appropriate sanitary or storm sewer. Larger spills should be contained, recovered and disposed of as required by local regulations.

Section 7: Handling and storage – None indicated

Section 8: Exposure controls/personal protection - None indicated

Section 9: Physical and chemical properties

Boiling Point = 214 to 218°F

Specific gravity = 1.16 to 1.19

Vapor pressure = 11 mm @ 70°F

Melting Point = not applicable

Vapor density = 2.5

Evaporation rate = unknown

Solubility in water = soluble

pH = 2.8 to 3.2

Flashpoint (TCC) = >200°F

Appearance and odor = The product is transparent amber-colored. The product has a mild odor.

Section 10: Stability and reactivity

Product is stable; no hazardous polymerization or decomposition products are expected. Avoid contact with acid chlorides, acid anhydrides, oxidizing agents, chloroformates, and reducing agents.

Section 11: Toxicological information - None indicated

Section 12: Ecological information - None indicated

Section 13: Disposal information – None indicated

Section 14: Transport information – None indicated. Not regulated by IATA.

Section 15: Regulatory information – None indicated

Section 16: Other Information

SDS prepared on April 6, 2020.